STATINTL

STATINTL

STATINTL

cost to copy the data to magnetic tape.

Information: ext. 4311.

Manpower: One ODP employee is expected to

Agency Employee to Consult for Additional

spend no more than four manhours providing this data.

## Approved For Release 2002/09/03: CIA-RDP84-00933R000300070001-3

ODP believes the Agency has authority to provide the requested assistance and that such assistance is uncontroversial and in the best interest of the Federal Government. We, therefore, recommend that the procedure described in Reference b. be used to expedite approval. STATINTL Clifford D. APPROVED: STATINTL Deputy Inspector Ceneral Date General Counsel Date Distribution: Orig + 1 - adse (Orig to be returned to ODP)
1 - OIG STATINTL 1 - OGC C/SPD/ODP \*Concurrence of Inspector and General Counsel not necessary per General Counsel memo, dated 22 February 1977, Subject: Procedures for Approval of Assistance STATINTL to Other Agencies Pursuant to

## Approved For Release 2002/09/03: CIA-RDP84-00933R000300070001-3

## OFFICE OF THE SPECIAL REPRESENTATIVE FOR TRADE NEGOTIATIONS

EXECUTIVE OFFICE OF THE PRESIDENT
WASHINGTON
20506

March 2, 1977

STATINTL

Systems Programming Division Office of Data Processing Washington, D.C. 20505

Dear Bill:

As you are aware, this office maintains an international trade and tariff data base for the benefit of the trade policy community within the U.S. Government. The original files as well as the file management and retrieval software, GIMS, were furnished to us by the CIA.

We are presently undergoing a conversion to version 3.0 of GIMS; we understand from our contractor, TRW, Inc., that your group has upgraded the CAM software which supports GIMS. We further understand that the CAM software is not available to us through TRW. Since we have a number of Delta Data 5260 video terminals which are driven by the CAM software, we have an urgent need to install the most current release of the CAM software in our GIMS system in order to have use of our video terminals under version 3.0.

Please consider this letter, therefore, a formal request to obtain the latest release of the CAM software which supports GIMS.

Thank you for your assistance.

Sincerely yours,

Barry Goldberg

Director of Computer Operations

STR